


CLASS II DRIVE
(For Residences, Barns, Private Garages, Ect.)

Not to Scale



CROSS SECTION "D-D"

Not to Scale

- ③ The driveway area beyond the R/W line required to meet the existing drive shall be included in the pay limits for Bituminous Mixture for Approaches when the existing drive is bituminous. This area shall be included in the pay limits for Cement Concrete Pavement for Driveways when the existing drive is concrete. When the existing drive is other than bituminous or concrete, this area shall be replaced in kind.
- ⑤ Driveway embankment slopes within the Clear Zone shall be as follows:
 - a.) 6:1 for Arterials and high speed (over 40mph design speed) Collectors;
 - b.) 4:1 for Local Roads and low speed (40mph or less design speed) Collectors.

Legend

- Ⓜ - Limits of Bituminous Mixture for Approaches
- Ⓟ - Limits of Compacted Aggregate Base
- Ⓢ - Equivalent to surface in place

NO SCALE

HANCOCK COUNTY HIGHWAY DEPARTMENT

CLASS II DRIVE
(FOR RESIDENCES, BARNs, PRIVATE GARAGES, ECT.)

STANDARD PLAN
611-3
SHEET 1 OF 1

USE WITH INDIANA DEPARTMENT OF TRANSPORTATION 1999 STANDARD SPECIFICATIONS